



DCK210S2

NSN: 5120-01-597-2813

12V MAX* Cordless Li-Ion Screwdriver / Impact Driver Combo Kit

Includes:

DCF610S2

12V MAX* 1/4" Screwdriver Kit

DCF815S2

12V MAX* 1/4" Impact Driver Kit

- Compact, lightweight design fits into tight areas
- 3 LED Lights provide visibility without shadows
- One-handed loading 1/4" hex chuck accepts 1" bit tips
- Belt hook included for portability



DCT410S1

NSN: 5120-01-597-2773

12V MAX* 17mm Inspection Camera Kit

- Removable wireless screen for ease of viewing when in tight areas
- Photo and video capturing on micro SD card to help with documentation (SD card sold separately)
- Hook and magnet accessories included to aid in retrieval
- 3x zoom capability for better visibility
- 3.5" screen for increased visibility



DCT414S1

NSN: 5120-01-597-2776

12V MAX* Infrared Thermometer Kit

- Non-contact temperature measurements (-20°F to 932°F) for accuracy and ease of use over distance
- LED hot (red) & cold (blue) indicator for visual and/or audio alarm for quickly locating trouble spots
- Data storage for recording max, min, and average temperatures
- Adjustable emissivity improves accuracy across a wide range of materials

* All prices subject to change based upon addition of new components. Components may be substituted due to availability. Items may not be shown individual.

LIBERVIT BREACHING AND EXTRACTION KIT

KIT KSLBEK



Hydraulic Backpack and Hydraulic Hose, 19.6 Ft w/ Quick Disconnect

The cutters, openers and spreaders can be powered by the LIBERVIT GHP hydraulic units and the Tube as well as the manual pumps. An Hydraulic flexible hose is required to connect the hydraulic unit or manual pump to the hydraulic tools.

SVI BACKPACK SVI 6M EXTENSION HOSE



Hydraulic Cutting And Extracation Head

The Libervit LD1P hydraulic cutter is generally used for cutting bars, steel doors or shutters, fences chains, padlocks, cables.

SVI CUTTER



Hydraulic Door Opener

The OP53 hydraulic door opener ensures a quick and no-noise opening of non-armored, interior opening doors. The OP53 model is operated with the LIBERVIT hydraulic power unit.

SVI OP53



Hydraulic Spreading And Extracation Head

The E300P and E500P spreader is generally used for spreading bars, opening steel doors, shutters, or certain outward opening doors as well as numerous other tasks involving force pressure.

SVI SPREADER

* All prices subject to change based upon addition of new components. Components may be substituted due to availability. Items may not be shown individual.

PERSONAL PROTECTIVE EQUIPMENT KIT

Kit includes one of each lens color of Wiley X EyeWear listed

KIT PPE REPLENISHMENT | NSN: 5180-01-598-6431



Wiley X Saber Ballistic Eye Protection

Includes:

- NVG Compatible Ultra Low Profile Black Frame
- Microfiber Case (WIX MB-312)
- Cleaning Cloth (WIX A425)
- Saber Elastic Strap (WIX 306E)

w/ Clear Lens

WIX 303 | NIIN: 01-598-6706

Frame

- Dual injected non-slip adjustable temple tips
- Adjustable wire core nose piece for a custom fit
- Ultra Foam™ brow bar prevents debris and sweat from entering field-of-view
- Removable snap on adjustable temples replaceable with tactical goggle strap for high intensity operations/training

Lenses

- 100% UVA/UVB protection
- 3.0 mm Shatterproof Selenite™ interchangeable lenses - the thickest lenses in the business
- T-Shell™ anti-scratch hard coat for longer lens life
- Superior lateral protection

Standards & Regulations

- MIL-PRF-31013 Ballistic Impact
- ANSI Z87.1-2003 High Velocity
- ANSI Z87.1-2003 High Mass
- Available through GSA Advantage!



w/ Light Rust Lens

WIX 301 | NIIN: 01-598-6699



w/ Smoke Grey Lens

WIX 302 | NIIN: 01-598-6702



w/ Yellow Lens

WIX 300 | NIIN: 01-598-6695

* All prices subject to change based upon addition of new components. Components may be substituted due to availability. Items may not be shown individual.

PERSONAL PROTECTIVE EQUIPMENT KIT

Kit includes one of each size of Mechanix Wear gloves listed



KIT PPE REPLENISHMENT
NSN: 5180-01-598-6431

Mechanix Wear manufactures high quality and innovative hand protection for every user— from aviation mechanics to war fighters. With a line of gloves that are TAA compliant, Mechanix Wear provides the protection and performance needed by today's military. Time and effort is invested into thinking about the best way to protect their hands from the harshest conditions so they don't have to.



FastFit (Easy Entry Cuff)

- Improved contours for a better fit
- Clarino synthetic leather palm, Lycra panels between the fingers and a two-way stretch Spandex padded back
- Taller cuff has been added for a more secure fit and additional coverage

Size	Item ID	NIIN
S	MEC MFF-F55-008	01-598-6800
M	MEC MFF-F55-009	01-597-2774
L	MEC MFF-F55-010	01-598-6784
XL	MEC MFF-F55-011	01-598-6788
XXL	MEC MFF-F55-012	01-598-6740



The Original (All Purpose)

- Fits innumerable tasks where general protection or extra grip is necessary
- Constantly updated using the most advanced technology and materials
- Designed to suit the specific needs of the military

Size	Item ID	NIIN
S	MEC MG-F55-008	01-598-6741
M	MEC MG-F55-009	01-598-6725
L	MEC MG-F55-010	01-598-6730
XL	MEC MG-F55-011	01-598-6737
XXL	MEC MG-F55-012	01-598-6739



M-Pact (Impact Protection)

- Designed with an anatomically engineered direct sonic welded rubber top and EVA foam palm pads for improved protection
- Tapered finger stretch side panels and a new Spandex stretch panel thumb area

Size	Item ID	NIIN
S	MEC MP-F55-008	01-598-6743
M	MEC MP-F55-009	01-598-6738
L	MEC MP-F55-010	01-598-6742
XL	MEC MP-F55-011	01-598-6744
XXL	MEC MP-F55-012	01-598-6748



M-Pact 2 (Heavy Duty Protection)

- Anatomically designed with tapered stretch side panels that form comfortably between fingers
- Molded Neoprene cuff for a seamless fit to your wrist
- EVA deep ribbed knuckle protection

Size	Item ID	NIIN
S	MEC MP2-F55-008	01-598-6752
M	MEC MP2-F55-009	01-598-6746
L	MEC MP2-F55-010	01-598-6749
XL	MEC MP2-F55-011	01-598-6750
XXL	MEC MP2-F55-012	01-598-6755



M-Pact 3 (Ultra Knuckle Protection)

- Kevlar molded knuckle protection
- Thermal Plastic Rubber finger
- Anatomically shaped multi-layer leather palm with EVA interior foam
- Heavy duty stretch panel and Spandex padded top for comfort and flexibility

Size	Item ID	NIIN
S	MEC MP3-F55-008	01-598-6688
M	MEC MP3-F55-009	01-598-6693
L	MEC MP3-F55-010	01-598-6680
XL	MEC MP3-F55-011	01-598-6683
XXL	MEC MP3-F55-012	01-598-6690

* All prices subject to change based upon addition of new components. Components may be substituted due to availability. Items may not be shown individual.

Field Engineer's Quality Assurance Kit

NSN: 5180-01-587-8012
KIT FEQAK

We developed the FEQAK from field experience to streamline quality assurance activities. The Solider needed a standard set of instruments and tools that were easy to travel with, simplified accountability and standardized training applications. Plus, making it trouble-free to procure and replenish.

The FEQAK has everything needed to conduct typical construction QA activities and support contingency operations.

This lightweight, compact systems easily fits in the trunk of a small vehicle ideal for tactical environments. It is tough, weather-tight and airline transportable.



GSA Contract: GS-06F-0018L



DLA Contract# DLA-SPM7W1-10-D-E008



* All prices subject to change based upon addition of new components. Components may be substituted due to availability. Items may not be shown individual.

PC & Printer Repair Tool Kit

Part# **KIT PCP17K-USA**

NSN: **5180-01-432-3144**



Contents & Specifications

- | | |
|--|---|
| <ul style="list-style-type: none">(1) ToolPouch, 21 Compartment, Foam Padded, Heavy Duty Vinyl Canvas with Heavy Duty Zipper Closure(1) Screwdriver, Phillips, Swivel Head, 300PT; 6-1/4" OAL(1) Screwdriver, Phillips, Swivel Head, #0PT; 7-1/8" OAL(1) Screwdriver, Phillips, Swivel Head, #1PT; 7-3/4" OAL(1) Screwdriver, Phillips, #2PT; 8-1/8" OAL(1) Screwdriver, Slotted, Swivel Head, 3/32" SL; 6-1/8" OAL(1) Screwdriver, Slotted, Swivel Head, 1/8" SL; 7-5/8" OAL(1) Screwdriver, Slotted, 3/16" SL; 7-1/8" OAL(1) Nut Driver, Hollow Shaft, 3/16" Hex, 7-1/8" OAL | <ul style="list-style-type: none">(1) Nut Driver, Hollow Shaft, 1/4" Hex, 7-1/8" OAL(1) Screw Starter/ Driver, w/Clip Fits Torx sizes T-10, T-15, T-20, T-25, T-27, T-30, and most Allen Hex and Phillips; 5-1/2" OAL(1) Mirror, Inspection, 1" x 2" Oval, (No FOD) w/Clip; 9" OAL(1) Mechanical Pickup, Syringe Style; 4-1/2" OAL(1) Tweezer, Crosslock; 6-1/2" OAL(1) Pliers, Needle Nose; 5-3/4" OAL(1) PC Chip Remover(1) Light, Inspection, 6" Flex & Focus Beam; 12" OAL |
|--|---|

* All prices subject to change based upon addition of new components. Components may be substituted due to availability. Items may not be shown individual.